IN THE CLAIMS

Please amend the claims as follows:

1. (currently amended) An information processing apparatus comprising:

security hardware for storing security key information;

OS start admission means for, in response to an operating system attempting to start, determining whether or not an input data for user certification is valid when an OS starts based on said security key information read from said security hardware, and permitting the OS said operating system to start if the when said determination result is positive;

security key information restoration means for restoring security key information in the <u>said</u> security hardware based on predetermined data for restoration, wherein <u>said</u> predetermined data for restoration is generated when generating said security key information within <u>said</u> security hardware in order to render said security key information freely restorable and is stored in an auxiliary storage;

OS start type selection means for selecting and selectively executing either a first type OS start for generating to generate a first system status in which said security key information restoration means can operate is operable (hereafter, referred to as a "first system status") and operating said OS start admission means, or a functionally restricted second type OS start for generating to generate a functionally restricted second system status in which said security key information restoration means is inoperable (hereafter, referred to as a "second system status") and not operating cannot operate said OS start admission means;

cancellation means, generated during a period of the said second system status, for canceling the operation of said OS start admission means as to the said first type OS start; and

cancel release means for releasing cancellation of the operation of said OS start admission means by said cancellation means after the <u>said</u> first type OS start having the operation of said OS start admission means canceled by said cancellation means is <u>has</u> been executed at least once.

2. (currently amended) The information processing apparatus according to of Claim 1, wherein the <u>said</u> input data for user certification is the data keyed in by the <u>an</u> user on the <u>said</u> first type OS start.

3. canceled

- 4. (currently amended) The information processing apparatus according to of Claim 1, wherein the said first and second type OS starts are the starts based on the same OS stored in the same auxiliary storage, and when starting the OS said operating system, said OS start type selection means detects whether or not a predetermined user operation is performed so as to select and execute the said first type OS start in the case of "no" and the or said second type OS start in the case of "yes" respectively.
- 5. (currently amended) The information processing apparatus according to of Claim 1, wherein the <u>said</u> first and second type OS starts are the starts based on the <u>OSes</u> two operating <u>systems</u>, each being stored in a different auxiliary storage respectively, and when <u>said</u> a second <u>operating system</u> OS is readable from the <u>said</u> auxiliary storage storing said second <u>operating system</u> OS, said OS start type selection means selects and executes the <u>said</u> second type OS start in preference to the over said first type OS start.

- 6. (currently amended) The information processing apparatus according to of Claim 1, wherein said information processing apparatus further includes there is erasure release means for erasing said cancel release means after said cancel release means releases the cancellation of the operation of said OS start admission means by said cancellation means.
- 7. (currently amended) The information processing apparatus according to of Claim 6, wherein said erasure means is generated by said cancel release means.